NOVITET
Akumulatorske ugaone brusilice
GWS 18V-10 C/SC/PC/PSC
BOSCH

Opis

GWS 18V-10 C/SC Professional

Novi nivo snage i kontrole u 18V klasi

Novi nivo snage i autonomije

➔ **30% više snage** i **125% veća autonomija** zahvaljujući novom EC motoru i ProCORE18V akumulatoru

Novi nivo kontrole

➔ **Napredni nivo zaštite korisnika** pomoću kontrole pada, brze kočnice i zaštite od povratnog udarca

➔ **Napredni nivo ugodnosti** preko Bluetooth veze, korisničkog interfejsa i brze matice

WORLD'S FIRST

HEAVY DUTY

Tehnički podaci	GWS 18V-10 C Professional	GWS 18V-10 SC Professional
Napon	18V	18V
Disk – Ø	115 / 125 mm	100 / 115 / 125 / 150 mm
Broj obrtaja u praznom hodu	9.000 o/min	4.500 – 9.000 o/min 4.000 – 7.500 o/min (150 mm)
Težina	2,8 kg	2,8 kg
Navoj brusnog vretena	M14 (115, 125 mm)	M14 (115, 125, 150 mm)

PT-BE/MKR-RS | 08.01.2019

© Robert Bosch GmbH 2018. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

BOSCH

Opis

GWS 18V-10 PC/PSC Professional

Novi nivo snage i kontrole u 18V klasi

Novi nivo snage i autonomije

- **30% više snage** i **125% veća autonomija** zahvaljujući novom EC motoru i ProCORE18V akumulatoru

Novi nivo kontrole

- **Napredni nivo zaštite korisnika** pomoću zaštitnog prekidača (deadman), brze kočnice i zaštite od povratnog udarca

- **Napredni nivo ugodnosti** usled malog prečnika drške, brze matice, povezivosti i korisničkog interfejsa

WORLD'S FIRST

HEAVY DUTY

Tehnički podaci	GWS 18V-10 PC Professional	GWS 18V-10 PSC Professional
Napon	18V	18V
Disk – Ø	125 mm	125 mm
Broj obrtaja u praznom hodu	9.000 o/min	4.500 – 9.000 o/min
Težina	2,8 kg	2,8 kg
Navoj brusnog vretena	M14	M14

PT-BE/MKR-RS | 08.01.2019

© Robert Bosch GmbH 2018. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

BOSCH

Opis
GWS 18V-10 C

Naredni nivo snage i autonomije

- do 30% više snage i do 125% veća autonomija
- Ekvivalentna snaga električnog alata od 1.000W

1000 W EQUIVALENT

EC BRUSHLESS MOTOR

WORLD'S FIRST

Najveća robusnost

HEAVY DUTY

Demontažni filter povećava dugotrajnost motora

Sledeći nivo ugodnosti

- Bluetooth veza preko modula za povezivanje sa pametnim telefonima

Simply. Connected.

- Brza navrtka za laku promenu diska

Novi nivo zaštite korisnika

Kontrola od pada, brza kočnica, zaštita od povratnog udarca, anti-vibraciona drška, zaštita od slučajnog pokretanja, meki start

DROP CONTROL | INTELLIGENT BRAKE SYSTEM | KICKBACK CONTROL | VIBRATION CONTROL | RESTART PROTECTION | SOFT START

© Robert Bosch GmbH 2018. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

BOSCH

Opis
GWS 18V-10 SC

Naredni nivo snage i autonomije

- do 30% više snage i do 125% veća autonomija
- Ekvivalentna snaga električnog alata od 1.000W

Sledeći nivo ugodnosti

- Korisnički interfejs sa statusom alata, birač brzine, i LED svetlo
- Bluetooth veza preko modula za povezivanje sa pametnim telefonima
- Brza navrtka za laku promenu diska

Veći kapacitet sečenja

do **150 mm** prečnik diska

WORLD'S FIRST

Najveća robusnost HEAVY DUTY

Demontažni filter povećava dugotrajnost motora

Novi nivo zaštite korisnika

Kontrola od pada, brza kočnica, zaštita od povratnog udarca, anti-vibraciona drška, zaštita od slučajnog pokretanja, meki start

DROP CONTROL | INTELLIGENT BRAKE SYSTEM | KICKBACK CONTROL | VIBRATION CONTROL | RESTART PROTECTION | SOFT START

PT-BE/MKR-RS | 08.01.2019
© Robert Bosch GmbH 2018. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Opis
GWS 18V-10 PC

Naredni nivo snage i autonomije

- do 30% više snage i do 125% veća autonomija
- Ekvivalentna snaga električnog alata od 1.000W

Najveća robusnost

Demontažni filter povećava dugotrajnost motora

Sledeći nivo ugodnosti

- Bluetooth veza preko modula za povezivanje sa pametnim telefonima
- Brza navrtka za laku promenu diska

Novi nivo zaštite korisnika

Zaštitni prekidač, brza kočnica, zaštita od povratnog udarca, anti-vibraciona drška, zaštita od slučajnog pokretanja, meki start

PT-BE/MKR-RS | 08.01.2019
© Robert Bosch GmbH 2018. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Opis
GWS 18V-10 PSC

WORLD'S FIRST

Naredni nivo snage i autonomije

- do 30% više snage i do 125% veća autonomija
- Ekvivalentna snaga električnog alata od 1.000W

EC BRUSHLESS MOTOR

1000 W EQUIVALENT

Najveća robusnost

HEAVY DUTY

Demontažni filter povećava dugotrajnost motora

USP – Next level of convenience

- Korisnički interfejs sa statusom alata, birač brzine, i LED svetlo

USER INTERFACE

- Bluetooth veza preko modula za povezivanje sa pametnim telefonima

Simply. Connected.

- Brza navrtka za laku promenu diska

Novi nivo zaštite korisnika

Zaštitni prekidač, brza kočnica, zaštita od povratnog udarca, anti-vibraciona drška, zaštita od slučajnog pokretanja, meki start

PROtection Switch | INTELLIGENT BRAKE SYSTEM | KICKBACK CONTROL | VIBRATION CONTROL | RESTART PROTECTION | SOFT START

© Robert Bosch GmbH 2018. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Funkcije
Kontrola od pada (Drop Control)

Šta je to kontrola od pada

- Integrisani senzor detektuje udarac kada alat padne na pod
- Alat se automatski isključuje i zaustavlja se obrtanje diska
- Dodatno brzo zaustavljanje diska je zagarantovano preko brze kočnice, kojoj je potrebno oko 2 sekunde da potpuno zaustavi disk



© Robert Bosch GmbH 2018. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Funkcije
Zaštitni prekidač (Paddle Switch)

Šta je to zaštitni prekidač (deadman)

- Deadman funkcija – automatski isključuje alat kada se prekidač pusti
- Novi ergonomski zaštitni prekidač je izrađen da idealno odgovara ruci u svim pozicijama korišćenja



Ova opcija je dostupna samo kod modela sa oznakom „P“.

© Robert Bosch GmbH 2018. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Funkcije
Dodatne sigurnosne zaštite za korisnika

Koje su to dodatne zaštitne funkcije za korisnika

- Zaštita od povratnog udarca (KickBack control)
  - Automatski isključuje alat kada se brusni ili rezni disk zaglavi

- Zaštita od slučajnog pokretanja (Restart Protection)
  - Sprečava slučajno pokretanje alata ukoliko mu se zameni akumulator koji je ispražnjen a prekidač je ostao u uključenom položaju.

- Meki start (Soft start)
  - Alat se lagano uključuje i ubrzava i samim tim ne može iznenaditi korisnika
  - Meki start se može preko aplikacije regulisati

© Robert Bosch GmbH 2018. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Funkcije
Korisnički interfejs



© Robert Bosch GmbH 2018. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Funkcije
Korisnički interfejs

Spoljašnji prsten uvek pokazuje stanje alata

Zeleni prsten =
Alat je u redu
Akumulator je u redu

Naranžasti prsten =
Alat je prevruć
Akumulator je u redu

ili

Akumulator je skoro prazan ali je temperatura u redu

Crveni prsten =
Alat je pregrejan
Akumulator je u redu

ili

Akumulator je skoro prazan ali je temperatura u redu

Detaljnije informacije i mogućnosti se mogu pronaći u aplikaciji

Detaljnije informacije i mogućnosti se mogu pronaći u aplikaciji

Aplikacija



© Robert Bosch GmbH 2018. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Funkcije
Korisnički interfejs

Status akumulatora

Zelena linija =

Akumulator je pun

Narandžasta linija =

Akumulator je skoro prazan

Crvena linija =

Akumulator je prazan

Detaljnije informacije i mogućnosti se mogu pronaći u aplikaciji

Pregrevanje alata

Zeleno =

Temperatura alata je u redu

Narandžasto =

Alat je u kritičnoj temperaturi

Crveno =

Alat je pregrejan

Detaljnije informacije i mogućnosti se mogu pronaći u aplikaciji

Aplikacija



© Robert Bosch GmbH 2018. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Tehnički podaci

Tehnički podaci		GWS 18V-10 C / PC Professional	GWS 18V-10 SC /PSC Professional	GWS 18V-10 SC Professional
Napon	V	18	18	18
Prečnik diska	mm	115 / 125	115 / 125	150
Broj obrtaja u praznom hodu	o/min	9.000	4.500 – 9.000	4.000 - 7.500
Navoj brusnog vretena		M14	M14	M14
Težina	kg	2,6 (5,0Ah)	2,8 (6,0Ah)	2,6 (5,0Ah) / 2,8 (6,0Ah)
Dubine sečenja	mm	34 mm	34 mm	46 mm
Dužina x Visina x Širina	mm	368 x 110 x 260	368 x 110 x 260	368 x 110 x 272
Prečnik drrške	mm	156	156	156

© Robert Bosch GmbH 2018. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.

Cena i obim isporuke

GWS 18V-10 C	Kataloški broj	EAN kod	VP cena* (RSD)
Disk 115 mm; karton; solo	**06019G320A**	3165140960724	29.490,00 din.
Disk 125 mm; karton; solo	**06019G310A**	3165140960762	29.990,00 din.
Disk 125 mm; 2x 5,0 Ah; GAL 1880; L-Boxx	**06019G310D**	3165140960755	66.900,00 din.
GWS 18V-10 SC	**Kataloški broj**	**EAN kod**	**VP cena* (RSD)**
Disk 125 mm; 2x 5,0 Ah; GAL 1880; L-Boxx; GCY 30-4	**06019G340D**	3165140960885	69.990,00 din.
Disk 125 mm; 1x 8,0 Ah ProCORE; 1x 6,0 Ah; GAL 18V-160; L-Boxx; GCY 30-4 – **DOSTUPAN OD 01.05.2019**	**06019G340H**	3165140960915	79.990,00 din.
Disk 150 mm; L-Boxx; GCY 30-4; solo	**06019G350B**	3165140960922	39.990,00 din.
GWS 18V-10 PC	**Kataloški broj**	**EAN kod**	**VP cena* (RSD)**
Disk 125 mm; karton; solo	**06019G3E0A**	3165140960816	31.990,00 din.
GWS 18V-10 PSC	**Kataloški broj**	**EAN kod**	**VP cena* (RSD)**
Disk 125 mm; 2x 5,0 Ah; GAL 1880; L-Boxx; GCY 30-4	**06019G3F0D**	3165140960830	71.900,00 din.

*neobavezno preporučena VP cena

© Robert Bosch GmbH 2018. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.